

Mac HTPC - The Mac Mini HTPC [\(View site »\)](#)

Dashboard Write Manage Links **Presentation** Plugins Users Options Upload Logout (site admin)

Themes | Theme Editor

Current Theme

[machtpc_old 1.0](#) by [Me](#)

original Theme

The active theme is **[machtpc_old](#)**. The template files are located in `wp-content/themes/machtpc`. The stylesheet files are located in `wp-content/themes/machtpc`.

Other Themes

Themes are usually downloaded separately from WordPress. To install a theme you generally just need to put the theme file or files into your `wp-content/themes` directory. Once a theme is installed, you may select it here.

Name

```
body #page{height:auto;} /*for mozilla as IE treats height as min-height anyway*/ #header { position:absol
left:0px; width:775px; height:106px; overflow:hidden; z-index:100; } #innerwrap { /* enables content first *
width:598px; } .narrowcolumn { width:418px; float:right; padding-top:82px; padding-bottom:32px; /* nee
room for footer */ } #left { position:relative; /*ie needs this to show float */ width:140px; float:left;
padding-top:90px; /*needed to make room for header*/ padding-bottom:32px; /* needed to make room for
margin-left: 30px; display:inline; } .widecolumn { padding: 10px 0 20px 0; margin: 5px 0 0 150px; width: 4
padding:0 15px; margin: 0 0 0 0; text-align: justify; } .widecolumn .post { margin: 0; } .postmetadata { padd
.widecolumn .postmetadata { margin: 30px 0; } #sidebar { position:relative; /*ie needs this to show float */ v
float:right; padding-top:90px; /*needed to make room for header*/ padding-bottom:32px; /* needed to ma
footer */ margin-right:15px; display:inline; } /* mac hide \*/ * html #sidebar{margin-right:15px;} /* end h
{ width:745px; clear:both; height:45px; border-top:1px solid #ccc; background-color: #fff; color: #000000;
text-align:center; left:15px; bottom:0; position: absolute; } #footer p { margin: 0; padding: 20px 0; text-align
#clearfooter {width:100%;height:52px;clear:both} /* to clear footer */ #searchbox { position:absolute; top:3
left:520px; width:300px; height:40px; z-index:105; } /* End Structure */ /* Begin Headers */ h1 { padding
margin: 0 0 0 -6px; } .description { text-align: center; } h2 { margin: 10px 0 0; } h2.pagetitle { margin-top: 1
text-align: center; } #sidebar h2, #left h2 { margin:0; padding: 0; } h3 { padding: 0; margin: 30px 0 0; } h3.
padding: 0; margin: 40px 10px 20px ; } /* End Headers */ /* Begin Images */ p img { padding: 0; max-wid
Using 'class="alignright"' on an image will (who would've thought?!) align the image to the right. And using
'class="centered', will of course center the image. This is much better than using align="center", being muc
futureproof (and valid) */ img.centered { display: block; margin-left: auto; margin-right: auto; border:1px s
img.alignright { padding: 4px; margin: 0 0 2px 7px; display: inline; } img.alignleft { padding: 4px; margin:
display: inline; } .alignright { float: right; } .alignleft { float: left } /* End Images */ /* Begin Lists Special sty
bullets Do not work in Internet Explorer, which merely default to normal bullets. */ html>body .entry ul { m
opx; padding: 0 0 0 30px; list-style: none; padding-left: 10px; text-indent: -10px; } html>body .entry li { ma
8px 10px; } .entry ol li:before, #sidebar ul ul li:before { content: "\00BB \0020"; } .entry ol { padding: 0 0 0
margin: 0; } .entry ol li { margin: 0; padding: 0; } .postmetadata ul, .postmetadata li { display: inline; list-sty
list-style-image: none; } #sidebar ul, #sidebar ul ol { margin: 0 0 0 10px; padding: 0; } #sidebar ul li { list-st
none; list-style-image: none; margin-bottom: 15px; } #sidebar ul p, #sidebar ul select { margin: 5px 0 8px; }
ul, #sidebar ul ol { margin: 0; } #sidebar ul ul ul, #sidebar ul ol { margin: 0 0 0 10px; } ol li, #sidebar ul ol li
decimal outside; } #sidebar ul ul li, #sidebar ul ol li { margin: 3px 0 0 0; padding: 0; } #left ul, #left ul ol { m
22px; padding: 0; } #left ul li { list-style-type: none; list-style-image: none; margin-bottom: 8px; } #left ul p
{ margin: 5px 0 8px; } #left ul ul, #left ul ol { margin: 0px 0 0 0px; } #left ul ul ul, #left ul ol { margin: 0 0 5p
#left ul ol li { list-style: decimal outside; } #left ul ul li, #left ul ol li { margin: 1px 0 0; padding: 0; } /* End Ei
```



```

html>body #page{height:auto;} /*for mozilla as IE treats height as min-height anyway*/ #header { position
top:-5px; left:0px; width:775px; height:106px; overflow:hidden; z-index:100; } #innerwrap { /* enables cont
float:left; width:598px; } .narrowcolumn { width:418px; float:right; padding-top:82px; padding-bottom:32
to make room for footer */ } #left { position:relative; /*ie needs this to show float */ width:140px; float:left;
padding-top:90px; /*needed to make room for header*/ padding-bottom:32px; /* needed to make room for
margin-left: 30px; display:inline; } .widecolumn { padding: 10px 0 20px 0; margin: 5px 0 0 150px; width: 4
padding:0 15px; margin: 0 0 0 0; text-align: justify; } .widecolumn .post { margin: 0; } .postmetadata { padd
.widecolumn .postmetadata { margin: 30px 0; } #sidebar { position:relative; /*ie needs this to show float */ v
float:right; padding-top:90px; /*needed to make room for header*/ padding-bottom:32px; /* needed to ma
footer */ margin-right:15px; display:inline; } /* mac hide \/* * html #sidebar{margin-right:15px;} /* end h
{ width:745px; clear:both; height:45px; border-top:1px solid #ccc; background-color: #fff; color: #000000;
text-align:center; left:15px; bottom:0; position: absolute; } #footer p { margin: 0; padding: 20px 0; text-align
#clearfooter {width:100%;height:52px;clear:both} /* to clear footer */ #searchbox { position:absolute; top:3
left:520px; width:300px; height:40px; z-index:105; } /* End Structure */ /* Begin Headers */ h1 { padding
margin: 0 0 0 -6px; } .description { text-align: center; } h2 { margin: 10px 0 0; } h2.pagetitle { margin-top: 1
text-align: center; } #sidebar h2, #left h2 { margin:0; padding: 0; } h3 { padding: 0; margin: 30px 0 0; } h3.
padding: 0; margin: 40px 10px 20px ; } /* End Headers */ /* Begin Images */ p img { padding: 0; max-wid
Using 'class="alignright"' on an image will (who would've thought?!) align the image to the right. And using
'class="centered", will of course center the image. This is much better than using align="center", being muc
futureproof (and valid) */ img.centered { display: block; margin-left: auto; margin-right: auto; border:1px s
img.alignright { padding: 4px; margin: 0 0 2px 7px; display: inline; } img.alignleft { padding: 4px; margin:
display: inline; } .alignright { float: right; } .alignleft { float: left } /* End Images */ /* Begin Lists Special sty
bullets Do not work in Internet Explorer, which merely default to normal bullets. */ html>body .entry ul { n
opx; padding: 0 0 0 30px; list-style: none; padding-left: 10px; text-indent: -10px; } html>body .entry li { ma
8px 10px; } .entry ul li:before, #sidebar ul ul li:before { content: "\00BB \0020"; } .entry ol { padding: 0 0 0
margin: 0; } .entry ol li { margin: 0; padding: 0; } .postmetadata ul, .postmetadata li { display: inline; list-sty
list-style-image: none; } #sidebar ul, #sidebar ul ol { margin: 0 0 0 10px; padding: 0; } #sidebar ul li { list-st
none; list-style-image: none; margin-bottom: 15px; } #sidebar ul p, #sidebar ul select { margin: 5px 0 8px; }
ul, #sidebar ul ol { margin: 0; } #sidebar ul ul ul, #sidebar ul ol { margin: 0 0 0 10px; } ol li, #sidebar ul ol li
decimal outside; } #sidebar ul ul li, #sidebar ul ol li { margin: 3px 0 0 0; padding: 0; } #left ul, #left ul ol { m
22px; padding: 0; } #left ul li { list-style-type: none; list-style-image: none; margin-bottom: 8px; } #left ul p,
{ margin: 5px 0 8px; } #left ul ul, #left ul ol { margin: 0px 0 0 0px; } #left ul ul ul, #left ul ol { margin: 0 0 5p
#left ul ol li { list-style: decimal outside; } #left ul ul li, #left ul ol li { margin: 1px 0 0; padding: 0; } /* End E
Begin Form Elements */ #searchform { padding: 5px 3px; text-align: left; } #searchbox input { vertical-align
margin: 13px 0 0 0; } #searchform #s { width: 152px; border:1px solid #000; background:#fff; height:15px;
background-image:
url("http://www.sabotagemedia.com/clients/machtpc/wp-content/themes/machtpc01/images/search_1
} #searchsubmit { border:1px solid #000; } .entry form { /* This is mainly for password protected posts, mak
better. */ text-align:center; } select { width: 130px; } #commentform input { width: 170px; padding: 2px; m
1px 0; } #commentform textarea { width: 100%; padding: 2px; } #commentform #submit { margin: 0 20px 0
} /* End Form Elements */ /* Begin Comments */ .alt { margin: 0; padding: 10px; } .commentlist { padding
text-align: justify; } .commentlist li { margin: 15px 0 3px; padding: 5px 10px 3px; list-style: none; } .commer
margin: 10px 5px 10px 0; } #commentform p { margin: 5px 10px; } .nocomments { text-align: center; margin
0; } .commentmetadata { margin: 0; display: block; } /* End Comments */ /* Begin Sidebar */ #sidebar for
} /* End Sidebar */ /* Begin Calendar */ #wp-calendar { empty-cells: show; margin: 10px auto 0; width: 15
#wp-calendar #next a { padding-right: 10px; text-align: right; } #wp-calendar #prev a { padding-left: 10px;
left; } #wp-calendar a { display: block; } #wp-calendar caption { text-align: center; width: 100%; } #wp-calea
padding: 3px 0; text-align: center; } #wp-calendar td.pd: hover { /* Doesn't work in IE */ background-colo
End Calendar */ /* Begin Various Tags & Classes */ acronym, abbr, span.caps { cursor: help; } acronym, ab
border-bottom: 1px dashed #999; } blockquote { margin: 15px 30px 0 10px; padding-left: 20px; border-left
#ddd; } blockquote cite { margin: 5px 0 0; display: block; } .center { text-align: center; } hr { display: none; }
border: none; } .navigation { width:385px; display: block; text-align: center; margin:10px 0 30px 10px; } #r
margin:10px 0 0 10px; } #comment { padding:10px 0 0 15px; } div.entrytext li { margin-left:10px; list-style-
.image { text-align:center; padding:2px; } /* End Various Tags & Classes */ #page {
background:url("http://www.sabotagemedia.com/clients/machtpc/wp-content/themes/machtpc01/ima
repeat-y; background-position:top; } 1.0 Author: Josh Pigford Author URI: http://www.sabotagemedia.com
Typography & Colors */ body { font-size: 62.5%; /* Resets 1em to 10px */ font-family: 'Lucida Grande', Ver
Sans-Serif; background-color:#fff; color: #333; text-align: center; } #bgwrap { height:100%; min-height:10

```

```

width:800px; color: #000000; text-align:left; margin:auto; position:relative; } #page { text-align: left; } #co
font-size: 1.2em } .widecolumn .entry p { font-size: 1.05em; } .narrowcolumn .entry, .widecolumn .entry { li
1.4em; border-bottom:1px solid #ccc; } .widecolumn { line-height: 1.6em; } .narrowcolumn .postmetadata {
center; } .alt { background-color: #eee; border-top: 1px solid #ddd; border-bottom: 1px solid #ddd; } small {
Arial, Helvetica, Sans-Serif; font-size: 0.9em; line-height: 1.5em; } h1, h2, h3 { font-family: 'Trebuchet MS'
Grande', Verdana, Arial, Sans-Serif; font-weight: bold; } h1 { font-size: 4em; text-align: center; } .description
1.2em; text-align: center; } h2 { font-size: 1.6em; } h2.pagetitle { font-size: 1.6em; } #sidebar h2, #left h2 { fc
'Lucida Grande', Verdana, Sans-Serif; font-size: 14px; color:#000; font-weight:bold; } h3 { font-size: 1.3em;
a:hover, h1 a:visited, .description { text-decoration: none; color: white; } h2, h2 a, h2 a:visited, h3, h3 a, h3
color: #333; } h2, h2 a, h2 a:hover, h2 a:visited, h3, h3 a, h3 a:hover, h3 a:visited, #sidebar h2, #wp-calen
cite { text-decoration: none; } .entry p a:visited { color:#999999; } .commentlist li, #commentform input, #
textarea { font: 0.9em 'Lucida Grande', Verdana, Arial, Sans-Serif; } .commentlist li { font-weight: bold; } .c
cite, .commentlist cite a { font-weight: bold; font-style: normal; font-size: 1.1em; } .commentlist p { font-weig
line-height: 1.5em; text-transform: none; } #commentform p { font-family: 'Lucida Grande', Verdana, Arial
.commentmetadata { font-weight: normal; } #sidebar, #left { font: 1.1em 'Lucida Grande', Verdana, Arial, S;
#left { color:#000; font-size: 11px; } small, .nocomments, .postmetadata, blockquote, strike { color: #777; } c
1.1em 'Courier New', Courier, Fixed; } acronym, abbr, span.caps { font-size: 0.9em; letter-spacing: .07em; }
h3 a:hover { color: #1088B4; text-decoration: none; } a:hover { color: #147; text-decoration: underline; } #v
#prev a { font-size: 9pt; } #wp-calendar a { text-decoration: none; } #wp-calendar caption { font: bold 1.3em
Grande', Verdana, Arial, Sans-Serif; text-align: center; } #wp-calendar th { font-style: normal; text-transfor
#sidebar a, #sidebar a:visited { color:#14527C; text-decoration:none; font-weight:bold; } #sidebar a:hover {
text-decoration:underline; font-weight:bold; color:#666666; } #sidebar ul ul li, #sidebar ul ol li { color:#00
#left a:visited { color:#fff; text-decoration:none; font-weight:bold; } #left a:hover { text-decoration:underlin
font-weight:bold; } #left ul ul li, #sidebar ul ol li { color:#000; } #left ul ul ul.children a, #left ul ul ul.childre
color: #000; text-decoration: none; font-weight:normal; padding:0 0 0 -2px; margin:0; } #left ul ul ul.child
color: #000; text-decoration: underline; font-weight:normal; padding:0 0 0 -2px; margin:0; } .post h2 {text
h2.date { color:#666666; font-weight:bold; text-transform:uppercase; margin-top:2px; } .postmetadata { fo
#commentform input, #commentform textarea { border:1px solid #ccc; } .contactform input, .contactform t
border:1px solid #ccc; font-family:'Lucida Grande', Verdana, Arial, Sans-Serif; font-size:12px; padding:1px
Typography & Colors */ /* Begin Structure */ body { padding:0; margin:10px 0 0 0; text-align:center; min-
/* for mozilla*/ color: #000000; } #page { height:100%; min-height:100%; width:775px; color: #000000; te
margin:auto; position:relative; /*background: url(images/centredbg.jpg) repeat-y center center;*/ position
html>body #page{height:auto;} /*for mozilla as IE treats height as min-height anyway*/ #header { position
top:-5px; left:0px; width:775px; height:106px; overflow:hidden; z-index:100; } #innerwrap {/* enables cont
float:left; width:598px; } .narrowcolumn { width:418px; float:right; padding-top:82px; padding-bottom:32
to make room for footer */ } #left { position:relative; /*ie needs this to show float */ width:140px; float:left;
padding-top:90px; /*needed to make room for header*/ padding-bottom:32px; /* needed to make room for
margin-left: 30px; display:inline; } .widecolumn { padding: 10px 0 20px 0; margin: 5px 0 0 150px; width: 4
padding:0 15px; margin: 0 0 0 0; text-align: justify; } .widecolumn .post { margin: 0; } .postmetadata { padd
.widecolumn .postmetadata { margin: 30px 0; } #sidebar { position:relative; /*ie needs this to show float */ v
float:right; padding-top:90px; /*needed to make room for header*/ padding-bottom:32px; /* needed to mal
footer */ margin-right:15px; display:inline; } /* mac hide \/* * html #sidebar{margin-right:15px;} /* end h
{ width:745px; clear:both; height:45px; border-top:1px solid #ccc; background-color: #fff; color: #000000;
text-align:center; left:15px; bottom:0; position: absolute; } #footer p { margin: 0; padding: 20px 0; text-align
#clearfooter {width:100%;height:52px;clear:both} /* to clear footer */ #searchbox { position:absolute; top:3
left:520px; width:300px; height:40px; z-index:105; } /* End Structure */ /* Begin Headers */ h1 { padding
margin: 0 0 0 -6px; } .description { text-align: center; } h2 { margin: 10px 0 0; } h2.pagetitle { margin-top: 1
text-align: center; } #sidebar h2, #left h2 { margin:0; padding: 0; } h3 { padding: 0; margin: 30px 0 0; } h3.
padding: 0; margin: 40px 10px 20px ; } /* End Headers */ /* Begin Images */ p img { padding: 0; max-wid
Using 'class="alignright"' on an image will (who would've thought?!) align the image to the right. And using
'class="centered", will of course center the image. This is much better than using align="center", being muc
futureproof (and valid) */ img.centered { display: block; margin-left: auto; margin-right: auto; border:1px s
img.alignright { padding: 4px; margin: 0 0 2px 7px; display: inline; } img.alignleft { padding: 4px; margin:
display: inline; } .alignright { float: right; } .alignleft { float: left } /* End Images */ /* Begin Lists Special sty
bullets Do not work in Internet Explorer, which merely default to normal bullets. */ html>body .entry ul { n
opx; padding: 0 0 0 30px; list-style: none; padding-left: 10px; text-indent: -10px; } html>body .entry li { ma
8px 10px; } .entry ul li:before, #sidebar ul ul li:before { content: "\00BB \0020"; } .entry ol { padding: 0 0 0
margin: 0; } .entry ol li { margin: 0; padding: 0; } .postmetadata ul, .postmetadata li { display: inline; list-sty

```

```

list-style-image: none; } #sidebar ul, #sidebar ul ol { margin: 0 0 0 10px; padding: 0; } #sidebar ul li { list-st
none; list-style-image: none; margin-bottom: 15px; } #sidebar ul p, #sidebar ul select { margin: 5px 0 8px; }
ul, #sidebar ul ol { margin: 0; } #sidebar ul ul ul, #sidebar ul ol { margin: 0 0 0 10px; } ol li, #sidebar ul ol li
decimal outside; } #sidebar ul ul li, #sidebar ul ol li { margin: 3px 0 0 0; padding: 0; } #left ul, #left ul ol { m
22px; padding: 0; } #left ul li { list-style-type: none; list-style-image: none; margin-bottom: 8px; } #left ul p
{ margin: 5px 0 8px; } #left ul ul, #left ul ol { margin: 0px 0 0 0px; } #left ul ul ul, #left ul ol { margin: 0 0 5p
#left ul ol li { list-style: decimal outside; } #left ul ul li, #left ul ol li { margin: 1px 0 0; padding: 0; } /* End E
Begin Form Elements */ #searchform { padding: 5px 3px; text-align: left; } #searchbox input { vertical-align:
margin: 13px 0 0 0; } #searchform #s { width: 152px; border: 1px solid #000; background: #fff; height: 15px;
background-image:
url("http://www.sabotagemedia.com/clients/machtpc/wp-content/themes/machtpc01/images/search_1
} #searchsubmit { border: 1px solid #000; } .entry form { /* This is mainly for password protected posts, mak
better. */ text-align: center; } select { width: 130px; } #commentform input { width: 170px; padding: 2px; m
1px 0; } #commentform textarea { width: 100%; padding: 2px; } #commentform #submit { margin: 0 20px c
} /* End Form Elements */ /* Begin Comments */ .alt { margin: 0; padding: 10px; } .commentlist { padding
text-align: justify; } .commentlist li { margin: 15px 0 3px; padding: 5px 10px 3px; list-style: none; } .commer
margin: 10px 5px 10px 0; } #commentform p { margin: 5px 10px; } .nocomments { text-align: center; margin
0; } .commentmetadata { margin: 0; display: block; } /* End Comments */ /* Begin Sidebar */ #sidebar for
} /* End Sidebar */ /* Begin Calendar */ #wp-calendar { empty-cells: show; margin: 10px auto 0; width: 15
#wp-calendar #next a { padding-right: 10px; text-align: right; } #wp-calendar #prev a { padding-left: 10px;
left; } #wp-calendar a { display: block; } #wp-calendar caption { text-align: center; width: 100%; } #wp-cale
padding: 3px 0; text-align: center; } #wp-calendar td.pad: hover { /* Doesn't work in IE */ background-colo
End Calendar */ /* Begin Various Tags & Classes */ acronym, abbr, span.caps { cursor: help; } acronym, ab
border-bottom: 1px dashed #999; } blockquote { margin: 15px 30px 0 10px; padding-left: 20px; border-left
#ddd; } blockquote cite { margin: 5px 0 0; display: block; } .center { text-align: center; } hr { display: none; }
border: none; } .navigation { width: 385px; display: block; text-align: center; margin: 10px 0 30px 10px; } #r
margin: 10px 0 0 10px; } #comment { padding: 10px 0 0 15px; } div.entrytext li { margin-left: 10px; list-style-
.image { text-align: center; padding: 2px; } /* End Various Tags & Classes */ #page {
background: url("http://www.sabotagemedia.com/clients/machtpc/wp-content/themes/machtpc01/ima
repeat-y; background-position: top; }

```

[machtpc_old 1.0](#)

[WordPress Classic 1.5](#)

[WordPress Default 1.5](#)

WordPress
1.5 — Support Forums
3.26 seconds

